

UVAFLEX[®] Y71 Series

Statement of Composition of the following Printing Inks/Coatings and Varnishes used in the Manufacture of Food Packaging

Regulation (EC) No 1935/2004¹ requires that materials and articles which, in their finished state, are intended to be brought into contact with foodstuffs or which are brought into contact with foodstuffs, must not transfer any components to the packed foodstuff in quantities which could endanger human health, or bring about an unacceptable change in the composition or deterioration in organoleptic properties.

This means that the manufacturer of the finished article and the filler have the legal responsibility that the food packaging is fit for its intended purpose.

Provided that our products listed above are used according to the information given in the Technical Data Sheet and correctly processed, and provided that the food packaging is designed in a way that there is no intended direct food contact with the print, we hereby confirm that our products will in principle allow compliance of the final product with Regulation 1935/2004.

1. Products from Zeller+Gmelin GmbH & Co. KG are formulated and manufactured in accordance with the “EuPIA Guideline on Printing Inks applied to the non-food contact surface of food packaging materials and articles”.
2. The products listed above are formulated in such a way as to minimise potential migration through the substrate or the set-off from the printed outer side to the food contact surface in the stack or the reel, having taken into account the purpose for which they have been designed.
Please note: Set-off and migration are also dependent on the processing conditions and sufficient barrier properties of the substrate.

¹ Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on Materials and Articles intended to come into Contact with Food and repealing Directives 80/590/EEC and 89/109/EEC, OJEU L338 of 13.11.2004

The statements made in this publication are according to our current knowledge. They do not absolve the user from his own responsibility to ascertain that our products are suitable for his process. They are intended to inform and advise and are subject to influence from the technical process.

TI Flexo–Statement of Composition UVAFLEX Y71_E, edition of July 27, 2009 (initial edition).
With the present edition expires the validity of all older editions.

Technische Information



3. The products listed above are manufactured in accordance with the EuPIA „Good Manufacturing Practices for the Production of Packaging Inks formulated for use on the non-food contact surfaces of food packaging and articles intended to come into contact with food (GMP)”

The manufacturing location of Zeller+Gmelin GmbH & Co. KG is qualified to ISO 9001.¹

4. Based on information provided by raw material suppliers, an ink layer printed with the products listed above will contain the following substances:

4.1 Evaluated substances which are restricted under the scope of the Plastics Directive 2002/72/EEC:

| CAS-No. | Ref-No. | Desigantion | Restriction | Maximum amount in dried ink film |
|-----------|---------|--------------|-------------|----------------------------------|
| 0079-10-7 | | Acrylic Acid | 6 mg/kg SML | 0,45 mg/1000cm ² |
| | | | | |
| | | | | |
| | | | | |

Acrylic Acid is not intentionally added to our inks and is a low level material impurity.

This information is provided to allow other members of the packaging chain to calculate levels of compliance in regard to the Plastics Directive.

4.2 Dual-use additives:

| CAS-No. | Desigantion |
|---------|-------------|
| | |
| | |
| | |

4.3 This product may contain further potential migrants, which will be disclosed separately.

¹ ISO 9001 International Standard for Quality Management Systems

The statements made in this publication are according to our current knowledge. They do not absolve the user from his own responsibility to ascertain that our products are suitable for his process. They are intended to inform and advise and are subject to influence from the technical process.

TI Flexo–Statement of Composition UVAFLEX Y71_E, edition of July 27, 2009 (initial edition).
With the present edition expires the validity of all older editions.




Technische Information

specialities
COMMERCIALS
packaging
LETTERPRESS
UV printing Ink and Tackifier
JACQUE

The information contained in this document must be treated as confidential. It must not be transmitted to third parties without prior consent.

Disclaimer:

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by purchase, resale, use or exposure to our products. Customers and users must comply with all applicable health and safety laws, regulations, and orders. In particular, customers are under an obligation to carry out a risk assessment for the particular work places, a safety assessment under the EU food contact legislation and to take adequate risk management measures.



ppa. Dr. Heinz Schweiger
Group Research Director
Division Printing Inks

Mai-2009

EuPIA – Version 2008-08-14

The statements made in this publication are according to our current knowledge. They do not absolve the user from his own responsibility to ascertain that our products are suitable for his process. They are intended to inform and advise and are subject to influence from the technical process.

TI Flexo–Statement of Composition UVAFLEX Y71_E, edition of July 27, 2009 (initial edition).
With the present edition expires the validity of all older editions.

